



MATERIAL SAFETY DATA SHEET

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

1. PRODUCT IDENTIFICATION

TRADE NAME (AS LABELED): Sulfuric Acid 98%
PRODUCT NUMBER:
CHEMICAL NAME/CLASS: Sulfuric Acid
U.N. NUMBER: UN 1830
U.N. DANGEROUS GOODS CLASS/SUBSIDIARY RISK: Hazard Class 8 Packing group II
MANUFACTURER'S NAME: NuGeneration Technologies, LLC
ADDRESS: 100 Professional Center Drive, Rohnert Park, CA 94928 USA
EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)
BUSINESS PHONE: (707) 820-4080 (Product Information)
DATE OF PREPARATION: February 10, 2010
DATE OF LAST REVISION: New

2. COMPOSITION and INFORMATION ON INGREDIENTS

Hazardous Ingredients:	CAS #	EC #	ICSC #	WT %	Hazard Symbol; Risk Phrases
Sulfuric Acid	7664-93-9	231-639-5	0362	98%	HAZARD CLASSIFICATION: [T] TOXIC, [C] CORROSIVE RISK PHRASES: R23, R24, R25, R35, R36, R37, R38, R49

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

See Section 3 for full text of Risk Phrases and Safety Phrases

3. HAZARD IDENTIFICATION

EU LABELING AND CLASSIFICATION: This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

EU CLASSIFICATION: [T] TOXIC. [C] CORROSIVE

EU RISK PHRASES: R 23: Toxic by inhalation; R24: Toxic in contact with skin; R25: Toxic if swallowed; R35: Causes severe burns; R36: Irritating to eyes; R37: Irritating to respiratory system; R38: Irritating to skin; R49: May cause cancer by inhalation.

EU SAFETY PHRASES: S23: Do not breathe gas/fumes/vapors/spray; S30: Never add water to this product; S36: Wear suitable protective clothing; S37: Wear suitable gloves; S39: Wear eye/face protection; S45: In case of accident or if you feel unwell, seek medical advice immediately.





MATERIAL SAFETY DATA SHEET

EMERGENCY OVERVIEW: Product Description: This product is a clear colorless to yellow liquid and is odorless.
Health Hazards: DANGER! Causes eye and skin burns. Causes digestive and respiratory tract burns. May be fatal if mist inhaled. Strong inorganic acid mists containing sulfuric acid may cause cancer. Concentrated sulfuric acid reacts violently with water and many other substances under certain conditions. May cause lung damage. Hygroscopic (absorbs moisture from air) Corrosive to metal. **Flammability Hazards:** This material has a non-flammable rating.
Environmental Hazards: Release of this product to the environment is expected to be toxic to aquatic life. If accidentally released, precautions must be taken to protect the environment. **Emergency Considerations:** In the event of fire or spill, adequate precautions must be taken for surrounding materials. Emergency responders must wear personal protective equipment suitable for the situation to which they are responding.

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by inhalation, skin or eye contact and by ingestion. The symptoms of overexposure are described in the following paragraphs.

INHALATION: Inhalation produces damaging effects on the mucous membranes and upper respiratory tract. Symptoms may include irritation of the nose and throat, and labored breathing. May cause lung edema, a medical emergency.

CONTACT WITH SKIN or EYES: Corrosive - Contact may cause redness, pain and severe burn can occur. Contact with eyes may cause blurred vision, redness, pain and severe tissue burns. Can cause blindness.

INGESTION: Corrosive – Swallowing can cause severe burns of the mouth, throat and stomach, leading to death. Circulatory shock is often the immediate cause of death.

HEALTH EFFECTS OR RISKS FROM EXPOSURE:

ACUTE: Contact with skin or eyes may cause severe burns. Inhalation will cause severe burns of the upper respiratory tract.

CHRONIC: Long-term exposure to mist or vapors may cause damage to teeth. Chronic exposure to mists containing sulfuric acid is a cancer hazard.

TARGET ORGANS: Acute: Skin, eyes, respiratory system. **Chronic:** Skin, eyes and target organs.

4. FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

SKIN EXPOSURE: If this product contaminates the skin, begin decontamination by flushing immediately with soap and water. Minimum flushing is for 15 minutes. Remove exposed or contaminated clothing. The contaminated individual must seek medical attention immediately.

EYE EXPOSURE: If this product enters the eyes, open contaminated individual's eyes while under gently running water. Use sufficient force to open eyelids. Have contaminated individual "roll" eyes. Minimum flushing is for 15 minutes. Seek medical attention immediately.

INHALATION: If vapors or mists generated by this product are inhaled, remove contaminated individual to fresh air. If breathing is difficult, give oxygen. Seek medical attention immediately.

INGESTION: Induce vomiting immediately only as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Skin and respiratory disorders, as well as conditions involving the "Target Organs" (see Section 3, Hazard Identification) may be aggravated by prolonged overexposures to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

FLASH POINT: As with most organic solids, fire is possible at elevated temperatures or by contact with ignition source.

AUTOIGNITION TEMPERATURE: Not Applicable

FLAMMABLE LIMITS (in air by volume, %): Not Applicable



MATERIAL SAFETY DATA SHEET

FIRE EXTINGUISHING MATERIALS: Water spray may be used to keep fire exposed containers cool.

<u>Water Spray:</u> No	<u>Carbon Dioxide:</u> Yes
<u>Foam:</u> Yes	<u>Dry Chemical:</u> Yes
<u>Halon:</u> Yes	<u>Other:</u> Any "C" Class

UNUSUAL FIRE AND EXPLOSION HAZARDS: Contact with most metals causes formation of flammable and explosive hydrogen gas.

SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Uncontrolled releases should be responded to by appropriately trained personnel using pre-planned procedures. Proper protective equipment should be used. Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate protective equipment as specified in section 8.

SPILLS: Contain and recover liquid when possible. Neutralize with alkaline material (soda ash, lime) then absorb with an inert material, and place in a chemical waste container.

U.S. Regulations (CERCLA) requires reporting spills and releases to soil, water and air in excess of reportable quantities. Prevent entry into sewers, basements or confined areas, dike if needed. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations, including those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7. HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing dusts generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: All employees who handle this material should be trained to handle it safely. Avoid contact with eyes, skin, and clothing. Store in cool, dry, ventilated area with acid resistant floors and good drainage. Protect from physical damage. Keep out of direct sunlight and away from heat, water, and incompatible materials. Do not wash out container and use it for other purposes. When diluting always add acid to water; never add water to the acid. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid). Observe all warnings and precautions listed for this product.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use a chemical fume hood or local exhaust ventilation, and process enclosure if necessary, to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

EXPOSURE LIMITS/GUIDELINES:

CHEMICAL NAME	CAS #	EXPOSURE LIMITS IN AIR									
		ACGIH-TLVs		OSHA-PELs		NIOSH-RELS		NIOSH	AIHA WEELS		OTHER
		TWA ppm	STEL ppm	TWA ppm	STEL ppm	TWA ppm	STEL ppm	IDLH ppm	TWA ppm	STEL ppm	ppm
Sulfuric Acid	7664-93-9	0.2 mg.m ³	NE	1 mg.m ³	NE	1 mg/m ³	NE	15 mg/m ³	N.E.	N.E.	DFG MAKs:

NE = Not Established.

NIC = Notice of Intended Change

See Section 16 for Definitions of Terms Used.



MATERIAL SAFETY DATA SHEET

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states. Oxygen levels below 19.5% are considered IDLH by OSHA. In such atmospheres, use of a full-facepiece pressure/demand SCBA or a full facepiece, supplied air respirator with auxiliary self-contained air supply is required under U.S. Federal OSHA's Respiratory Protection Standard (1910.134-1998) or the regulations of various U.S. States, Canada, EU Member States, or those of Japan. Air-purifying respirators with dust/mist/fume filters are recommended if operations may produce mists or sprays from this product.

EYE PROTECTION: Safety glasses. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. Maintain eye wash fountain and quick drench facilities in the work area.

HAND PROTECTION: Use chemically-resistant gloves when handling this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate for task (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9. PHYSICAL and CHEMICAL PROPERTIES

VAPOR DENSITY: 3.38 (Air=10)

SPECIFIC GRAVITY @ 20°C: 1.84 (water=1)

SOLUBILITY IN WATER: Soluble with much heat

VAPOR PRESSURE, mm Hg @ 20°C (68°F): <0.001

ODOR: Odorless

APPEARANCE and COLOR: Oily- clear colorless to yellow Liquid

EVAPORATION RATE (n-BuAc=1): No Data

MELTING POINT: 10°C

BOILING POINT: 290° C

pH: ~ 0.3

10. STABILITY and REACTIVITY

STABILITY: Sulfuric Acid reacts vigorously, violently or explosively with many organic and inorganic chemicals and with water.

DECOMPOSITION PRODUCTS: May emit oxides of sulfur when heated to decomposition.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Metals, oxidizing agents, reducing agents, bases, acrylonitrile, fulminates, picrates, organic materials, flammable liquids.

HAZARDOUS POLYMERIZATION: Has not been reported

CONDITIONS TO AVOID: Incompatibles.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA: The specific toxicology data available for components greater than 1% in concentration are as follows.



MATERIAL SAFETY DATA SHEET

Suspected animal carcinogen and probable human carcinogen. May cause irreversible effects. May be fatal if swallowed. May cause severe eye and skin damage

TOXICITY DATA:

ORL-RAT LD50 = 2140 mg/kg

IPR-RAT LD50 = 510 mg/mg³

IPR-MUS LD50 = 320 mg/m³

SUSPECTED CANCER AGENT: This product is found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product is irritating to skin, eyes and respiratory tract.

REPRODUCTIVE TOXICITY INFORMATION: Listed below is information concerning the effects of this product and its components on the human reproductive system.

Mutagenicity: The components of this product are not reported to produce mutagenic effects in humans.

Embryotoxicity: The components of this product are reported to produce embryotoxic effects in humans.

Teratogenicity: The components of this product are reported to cause teratogenic effects in humans.

Reproductive Toxicity: The components of this product are reported to cause reproductive effects in humans.

BIOLOGICAL EXPOSURE INDICES: Currently, Biological Exposure Indices (BEIs) have not been determined for the components of this product.

12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL FATE: When released into the soil this material may leach into ground water. When released into the air this material may be removed from the atmosphere to a moderate extent by wet deposition. When released into the air this material may be removed from the atmosphere to a moderate extent by dry deposition.

ECOLOGICAL DATA:

Fish: LC50 Flounder 100 to 300 mg/l/48hr aerated water

Algae: No data available

Daphnia: No data available

This material may be toxic to aquatic life

13. DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

PROPER SHIPPING NAME: SULFURIC ACID

HAZARD

CLASS NUMBER: 8

UN IDENTIFICATION NUMBER: UN1830

PACKING GROUP: II

DOT LABEL(S) REQUIRED: CORROSIVE

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER, 2004: 137



MATERIAL SAFETY DATA SHEET

MARINE POLLUTANT: This product is not designated as a marine pollutant by the Department of Transportation (49 CFR 172.101, Appendix B).

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

ADDITIONAL UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

CHEMICAL NAME	SARA 302 (40 CFR 355, Appendix A)	SARA 304 (40 CFR Table 302.4)	SARA 313 (40 CFR 372.65)
Sulfuric Acid	YES	YES	NO

ADDITIONAL UNITED STATES REGULATIONS (continued):

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): 1,000 lbs.

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory.

SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product is on the Proposition 65 Lists.

ADDITIONAL CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: The components of this product are on the DSL or NDSL Inventories

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: D2A, D1A, E



CANADIAN INGREDIENT DISCLOSURE LIST: CAS# 7664-93-9 is listed on the Canadian Ingredient Disclosure List.

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU CLASSIFICATION: [T] TOXIC. [C] CORROSIVE

EU RISK PHRASES: R 23: Toxic by inhalation; R24: Toxic in contact with skin; R25: Toxic if swallowed; R35: Causes severe burns; R36: Irritating to eyes; R37: Irritating to respiratory system; R38: Irritating to skin; R49: May cause cancer by inhalation.

EU SAFETY PHRASES: S23: Do not breathe gas/fumes/vapors/spray; S30: Never add water to this product; S36: Wear suitable protective clothing; S37: Wear suitable gloves; S39: Wear eye/face protection; S45: In case of accident or if you feel unwell, seek medical advice immediately.



MATERIAL SAFETY DATA SHEET

EUROPEAN ECONOMIC COMMUNITY INFORMATION FOR CONSTITUENTS: The following information is available for the components of this product.

Sulfuric Acid:

EU EINECS/ELINCS NUMBER: 231-639-5

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: The components of this product are listed on the AICS.

HAZARDOUS SUBSTANCES INFORMATION SYSTEM: Sulfuric Acid is listed by the Hazardous Substances Information System as a Hazardous Substance.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Sulfuric Acid is listed on the following inventories:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed



Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed


Swiss Giftlist List of Toxic Substances: Listed

U.S. TSCA: Listed

16. OTHER INFORMATION

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD		(BLUE)	4
FLAMMABILITY HAZARD		(RED)	0
PHYSICAL HAZARD		(YELLOW)	2
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	SEE SECTION 8		SEE SECTION 8
For Routine Industrial Use and Handling Applications			

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate
3 = Serious 4 = Severe * = Chronic hazard



NFPA RATING

PREPARED BY: Paul Eigbrett - MSDS Authoring Services

DATE: February 10, 2010

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of NuGeneration Technologies, LLC. The data on this sheet are related only to the specific material designated herein. NuGeneration Technologies, LLC assumes no legal responsibility for use or reliance upon this data.