

Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015	Reviewed on 05/10/2015
1 Identification	
· Product identifier	
<ul> <li>Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-2</li> <li>Product number: NGT-269-1272</li> <li>Relevant identified uses of the substance or mixture and u No further relevant information available.</li> <li>Product description PC2 Adsorbents</li> <li>Application of the substance / the mixture Absorbent</li> </ul>	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: NuGeneration Technologies, LLC (dba NuGenTec) 1155 Park Avenue, Emeryville, CA 94608 salesteam@nugentec.com 888-996-8436 or 707-820-4080 for product information</li> <li>Emergency telephone number: PERS Emergency Response: Domestic and Canada - 1-800-65</li> </ul>	www.nugentec.com 33-8253, International 1-801-629-0667
2 Hazard(s) identification	
Classification of the substance or mixture GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.	
Eye Irrit. 2B H320 Causes eye irritation.	
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally</li> <li>Hazard pictograms</li> <li>GHS07</li> </ul>	Harmonized System (GHS).
· Signal word Warning	
<ul> <li>Hazard-determining components of labeling: Attapulgite Clay Silicon Dioxide</li> <li>Hazard statements Causes skin and eye irritation. May cause respiratory irritation.</li> <li>Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves.</li> </ul>	(Contd. on page 2)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

#### Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

Wash thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. · Unknown acute toxicity: 65 percent of the mixture consists of ingredient(s) of unknown toxicity. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1FIRE 1 Fire = 1Reactivity = 0REACTIVITY 0

· Hazard(s) not otherwise classified (HNOC): None known

### 3 Composition/information on ingredients

1302-73-9 Bentonite, Montmorillonite

34.4%

· Chemical characterization: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous Components:		
CAS: 8031-18-3	Attapulgite Clay	35%
RTECS: RT6400000	🚸 STOT SE 3, H335; Eye Irrit. 2B, H320	
CAS: 7631-86-9	Silicon Dioxide	30%
	🚸 Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	

### 4 First-aid measures

#### · Description of first aid measures

· After inhalation:

In case of unconsciousness, place patient securely on side position for transportation.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

<sup>-</sup> US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If swallowed and symptoms occur, consult a doctor.

- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Ensure adequate ventilation. Dispose of the collected material according to regulations.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

001///1/020

Reviewed on 05/10/2015

Issue date 05/10/2015

Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with occupational exposure limits:

## 8031-18-3 Attapulgite Clay

- PEL Short-term value: 0.1 mg/m<sup>3</sup>
- TLV Short-term value: 0.05 mg/m<sup>3</sup>

#### 7631-86-9 Silicon Dioxide

- ACGH Short-term value: 3 mg/m<sup>3</sup> Long-term value: 10 mg/m<sup>3</sup>
- IDLHShort-term value: 3000 mg/m³<br/>Long-term value: 4 E mg/m³<br/>IDLH: Immediately dangerous to life or healthTWAShort-term value: 6 mg/m³
  - Long-term value: 4 E mg/m<sup>3</sup>

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)

Page 4/10



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

· Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance:	Oplish material
Form: Color:	Solid material Dark
· Odor:	Mild
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	2230 °C (4046 °F)
Flash point:	500 °C (932 °F)
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	> 370 °C (> 698 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density @ 20 °C (68 °F):	2.334 g/cm³ (19.477 lbs/gal)
Relative density	Not determined.
· Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not applicable. Not applicable.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

· Solvent content: Organic solvents:

Solids content:

· Other information

100.0 % No further relevant information available.

0.0 %

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

1031-00-3	Silicon D	loxide	
Oral	LD50	10000 mg/kg (rat) (OECD 401)	
Dermal	LD50	5000 mg/kg (rabbit) (OECD 402)	
Inhalative LC50/4 h		>140->2000 mg/l (rat) (OCED 403)	
		Maximum attainable concentration, mortality does not appear.	
		10000 mg/l (Zebra fish) (OECD 203)	
on the over	<u>م،</u>		
The produ	ffect. erious eye I <b>l toxicolo</b> g uct shows	irritation. <b>gical information:</b> the following dangers according to internally approved calcula	ation methods f
Irritating et Causes se <b>Additiona</b> The produ preparatio Irritant	ffect. erious eye I <b>I toxicolo</b> uct shows ns:	gical information: the following dangers according to internally approved calcula	ation methods f
Irritating e Causes se Additiona The produ preparatio Irritant Carcinoge	ffect. erious eye Il <b>toxicolo</b> uct shows ns: enic categ	gical information: the following dangers according to internally approved calcula	ation methods f
Irritating e Causes se Additiona The produ preparatio Irritant Carcinoge IARC (Inte	ffect. erious eye Il <b>toxicolo</b> uct shows ns: enic categ	gical information: the following dangers according to internally approved calcula gories Agency for Research on Cancer)	ation methods f
Irritating e Causes se Additiona The produ preparatio Irritant Carcinoge IARC (Inte 7631-86-	ffect. erious eye ut toxicolo uct shows ns: enic categ ernational 9 Silicon I	gical information: the following dangers according to internally approved calcula gories Agency for Research on Cancer)	
Irritating e Causes se Additiona The produ preparatio Irritant Carcinoge IARC (Inte 7631-86- 69012-64-	ffect. erious eye <b>I toxicolo</b> uct shows ns: <b>enic categ</b> ernational 9 Silicon I 2 Silica-A	<b>gical information:</b> the following dangers according to internally approved calcula <b>pories</b> Agency for Research on Cancer) Dioxide	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity:
- 7631-86-9 Silicon Dioxide
- EC50 >1000 mg/l (daphnia) (OECD 202)
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- Recommendation: Recycle or dispose with household trash.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

· Special precautions for user	Not applicable.	
· Environmental hazards:	Not applicable.	
<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Non-Regulated Material	
<ul> <li>Transport hazard class(es)</li> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>Class</li> </ul>	Non-Regulated Material	
<ul> <li>UN proper shipping name</li> <li>DOT, ADR, ADN, IMDG, IATA</li> </ul>	Non-Regulated Material	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Non-Regulated Material	

us



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- · UN "Model Regulation":

## 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act): 8031-18-3 Attapulgite Clay

7631-86-9 Silicon Dioxide

69012-64-2 Silica-Amorphous Silica fume

· California Proposition 65

· Chemicals known to cause cancer:

None of the ingredients are listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

• Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Page 9/10

## Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

· Signal word Warning · Hazard-determining components of labeling: Attapulaite Clav Silicon Dioxide · Hazard statements Causes skin and eve irritation. May cause respiratory irritation. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves. Wash thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: The product is subject to be classified according with the latest version of the regulations on hazardous substances. State Right to Know CAS: 8031-18-3 Attapulgite Clay 35% RTECS: RT6400000 🚸 STOT SE 3, H335; Eye Irrit. 2B, H320 CAS: 1302-73-9 Bentonite, Montmorillonite 34.4% CAS: 7631-86-9 Silicon Dioxide 30% Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320
 CAS: 69012-64-2 Silica-Amorphous Silica fume 0.6% All ingredients are listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 05/10/2015 / 3

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Page 10/10

Issue date 05/10/2015

Reviewed on 05/10/2015

#### Trade name: ABSORBENT MATERIAL 44LB BAG 7930-00-269-1272

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • \* Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106 us