


OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

#### Issue date 05/10/2015

Reviewed on 05/10/2015





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Trade name: Acetic Acid

Reviewed on 05/10/2015

· Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Do not breathe dusts or mists. Wear protective gloves / eye protection / face protection. Ground/bond container and receiving equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. If swallowed: Rinse mouth. Do NOT induce vomiting. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = 44 FIRE Fire = 22 Reactivity = 0 REACTIVITY 0 · Hazard(s) not otherwise classified (HNOC): None known 3 Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description 64-19-7 Acetic Acid
- · Identification number(s)
- · EC number: 200-580-7
- · Index number: 607-002-00-6

(Contd. on page 3)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: Acetic Acid

### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- In case of unconsciousness, place patient securely on side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation occurs, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed:* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:  $CO_2$ , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** Combustible liquid. Vapors can travel to a source of ignition and flash back. Explosive mixtures may occur at temperatures at or above flashpoint.
- · Advice for firefighters
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
   Dilute with plenty of water.
   Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Dispose of the collected material according to regulations.
   Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US



Reviewed on 05/10/2015



# Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Trade name: Acetic Acid

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with occupational exposure limits:

### 64-19-7 Acetic Acid

- PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- REL Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- TLV Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: Acetic Acid

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

<ul> <li>Information on basic physical and c</li> <li>General Information</li> </ul>	hemical properties
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Gel Colorless Pungent Not determined.
· pH-value (10 g/l) @ 20 °C (68 °F):	2.5
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	16.6 °C (62 °F) 118 °C (244 °F)
· Flash point:	40 °C (104 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	485 °C (905 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
• Explosion limits: Lower:	4 Vol % (Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: Acetic Acid

Upper:	17 Vol %
· Vapor pressure @ 20 °C (68 °F):	16 hPa (12 mm Hg)
<ul> <li>Density @ 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1.05 g/cm³ (8.762 lbs/gal) Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.
Partition coefficient (n-octanol/water): Not determined.	
<ul> <li>Viscosity:</li> <li>Dynamic @ 25 °C (77 °F):</li> <li>Kinematic:</li> <li>Other information</li> </ul>	1.53 mPas Not determined. No further relevant information available.

### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

<ul> <li>LD/LC50 values that are relevant f</li> </ul>	for classification:
--	---------------------

Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1112 mg/kg (rabbit)
Inhalative	LC50/4 h	11.4 mg/l (rat)
	LC50/96 hours	>1000 mg/l (Trout)

#### · Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Corrosive effect.

### · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

US

Reviewed on 05/10/2015



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

#### Trade name: Acetic Acid

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

### 12 Ecological information

· Toxicity

· Aquatic toxicity:

EC50 >300.82 mg/l (Water flea)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA
- · UN proper shipping name
- ·DOT
- · ADR
- · IMDG, IATA

UN2789 Not Regulated for Transportation Acetic acid, glacial UN2789 Acetic acid, glacial ACETIC ACID, GLACIAL

(Contd. on page 8)

- US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015 Reviewed on 05/10/2015 Trade name: Acetic Acid · Transport hazard class(es) DOT 8 Corrosive substances · Class · Label 8, 3 · ADR 8 (CF1) Corrosive substances · Class · Label 8+3 ·IMDG · Class 8 Corrosive substances · Label 8/3 ·IATA · Class 8 Corrosive substances · Label 8 (3) · Packing group · DOT, ADR, IMDG, IATA  $\parallel$ Environmental hazards: Not applicable. · Special precautions for user Warning: Corrosive substances Danger code (Kemler): 83 · EMS Number: F-E,S-C · Segregation groups Acids · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L 5000 lbs, 2270 kg · Hazardous substance: (Contd. on page 9) US





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: Acetic Acid

Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
50-80%: 8,32b1, 2790, 80, 8; 10-50%: 8,32c, 80, 8
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
50-80%: UN2790, 8100, II; 10-50%: III
UN2789, Acetic acid, glacial, 8 (3), II

### 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is listed.
- · California Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
   GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



- · Signal word Danger
- · Hazard statements
- Flammable liquid and vapor.

Causes severe skin burns and eye damage.

Precautionary statements
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Do not breathe dusts or mists.
 Wear protective gloves / eye protection / face protection.

(Contd. on page 10)

US



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/10/2015

Reviewed on 05/10/2015

Trade name: Acetic Acid

Ground/bond container and receiving equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. If swallowed: Rinse mouth. Do NOT induce vomiting. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: Non-Regulated Material • State Right to Know None of the ingredients are listed · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user

to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 05/10/2015 / 2 · Abbreviations and acronvms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Lig. 3: Flammable liquids, Hazard Category 3 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A • \* Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106 US