

Safety Data Sheet (SDS) OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Page 1/10

Printing date 06/10/2013

Reviewed on 06/10/2013

	uct and Company Identification
· Produc	ct identifier
	name: NuFlo EB-1317
	number: ofc-EB1317, ngt-EB137
	umber: 7784-13-6
	Int identified uses of the substance or mixture and uses advised against her relevant information available.
	on Breaker / Demulsifer. Professional Use Only.
	ct description Oil & Gas Industry Emulsion Breaker
	ation of the substance / the preparation Deoiler/ Flocculant
· Details	s of the supplier of the safety data sheet
	acturer/Supplier:
	Tec Oil Field Chemicals
	Park Avenue, Emeryville, CA 94608
	nin@nugentec.com www.nugentec.com/oilfie 6-8436 or 707-891-3012 for product information
	ency telephone number: Infotrac: 1-800-535-5053, 1-352-326-2510
2 Hazar	rd(s) identification
Classi	fication of the substance or mixture
1	GHS07
\•/	
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H319	
	Causes serious eye irritation.
	elements
· Label e · GHS la	elements abel elements
• Label e • GHS la The pro	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS).
• Label e • GHS la The pro	elements abel elements
• Label e • GHS la The pro	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS).
• Label e • GHS la The pro	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS).
• Label e • GHS la The pro	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS).
• Label e • GHS la The pro	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms
• Label e • GHS la The pro • Hazard • Hazard GHS0	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms
 Label 6 GHS la The pro Hazaro GHS0 Signal 	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms 7 word Warning
 Label e GHS la The pro Hazaro GHS0 Signal Hazaro 	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms 7 word Warning I statements
 Label e GHS la The pro Hazaro GHS0 Signal Hazaro Hazaro Hazaro 	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms 7 word Warning I statements H332 Harmful if swallowed or if inhaled.
Label e GHS la The pro Hazard GHS0 Signal Hazard H302+H H319	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms 7 7 word Warning I statements H332 Harmful if swallowed or if inhaled. Causes serious eye irritation.
Label e GHS la The pro Hazard GHS0 Signal Hazard H302+I H319 Precau	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms 7 word Warning I statements H332 Harmful if swallowed or if inhaled. Causes serious eye irritation. Itionary statements
 Label e GHS la The pro Hazaro GHS0 Signal Hazaro H302+1 H319 Precau 	elements abel elements poduct is classified and labeled according to the Globally Harmonized System (GHS). a pictograms 7 word Warning d statements H332 Harmful if swallowed or if inhaled. Causes serious eye irritation. Itionary statements tionary statements
 Label e GHS la The pro Hazaro GHS0 Signal Hazaro H302+J H319 Precau Precau P261 	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms 7 word Warning I statements H332 Harmful if swallowed or if inhaled. Causes serious eye irritation. Itionary statements tionary statements Avoid breathing dust/fume/gas/mist/vapours/spray.
 Label e GHS la The pro Hazaro GHS0 Signal Hazaro H302+J H319 Precau Precau P261 P280 	 elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). a pictograms 7 word Warning a statements H332 Harmful if swallowed or if inhaled. Causes serious eye irritation. utionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.
 Label e GHS la The pro Hazaro GHS0 Signal Hazaro H302+J H319 Precau Precau P261 P280 	elements abel elements oduct is classified and labeled according to the Globally Harmonized System (GHS). I pictograms 7 word Warning I statements H332 Harmful if swallowed or if inhaled. Causes serious eye irritation. Hionary statements tionary statements Avoid breathing dust/fume/gas/mist/vapours/spray.



Printing date 06/10/2013


Safety Data Sheet (SDS)

Page 2/10

OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Reviewed on 06/10/2013





OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/10/2013

Trade name: NuFlo EB-1317

(Contd. of page 2)

Reviewed on 06/10/2013

- · Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture** No further relevant information available.
- · Special nazards arising from the substance of
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. • Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)

USA



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 06/10/2013

Reviewed on 06/10/2013

Trade name: NuFlo EB-1317

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

LISA



Safety Data Sheet (SDS) OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Printing date 06/10/2013

Trade name: NuFlo EB-1317

Reviewed on 06/10/2013

(Contd. of page 4)

 Information on basic physical and General Information 	chemical properties
· Appearance:	
Form:	Liquid
Color: · Odor:	Colorless Odorless
· Odour threshold:	Not determined.
· pH-value @ 20 °C (68 °F):	7
· Change in condition	
Melting point/Melting range:	~32 F (0 C)
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.0 Vol %
Upper:	0.0 Vol %
· Vapor pressure @ 20 °C (68 °F):	23 hPa (17 mm Hg)
· Density @ 20 °C (68 °F):	1.68 g/cm³ (14.02 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
Partition coefficient (n-octanol/wat	•
· Viscosity:	
Dynamic @ 20 °C (68 °F):	1 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Water:	60.0 %



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Printing date 06/10/2013

Reviewed on 06/10/2013

Trade name: NuFlo EB-1317

· Other information

No further relevant information available.

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
 No decomposition if used according to encoifications
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:
 Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 7)



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Reviewed on 06/10/2013

Printing date 06/10/2013

Trade name: NuFlo EB-1317

(Contd. of page 6) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.


13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.







OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS

Rev03.

Reviewed on 06/10/2013

Printing date 06/10/2013

Trade name: NuFlo EB-1317 (Contd. of page 7) · Label 8 · IMDG, IATA · Class 8 Corrosive substances. · Label 8 Packing group · DOT, ADR, IMDG, IATA 111 Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Corrosive substances · Danger code (Kemler): 80 · EMS Number: F-A,S-B · Segregation groups Acids · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": UN2581, UN2581 Aluminum chloride, solution, 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
water, distilled water, deionized water	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
	(Contd. on page



OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Reviewed on 06/10/2013

Printing date 06/10/2013

Trade name: NuFlo EB-1317

(Contd. of page 8)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



· Signal word Warning · Hazard statements H302+H332 Harmful if swallowed or if inhaled. Causes serious eye irritation. H319 Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P301+P312 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10) USA



Safety Data Sheet (SDS) OSHA Hazard Communication Standard 29 CFR 1910.1200. Prepared to GHS Rev03.

Reviewed on 06/10/2013

Printing date 06/10/2013

Trade name: NuFlo EB-1317

(Contd. of page 9)

* Data compared to the previous version altered.
 SDS / MSDS Created by MSDS Authoring Services (www.MSDSAuthoring.com)

USA